

REMARKS/ARGUMENTS


The drawings have been amended to correct minor, inadvertent errors and omissions. Specifically, in Fig. 3, reference numerals 54, 62, and 64 have been added to indicate the display member and its top and bottom portions, respectively. Reference numeral 53' has been changed to 51' to properly indicate the female portion of clip 53' and reference numeral 51' has been changed to 53' to indicate the clip. Reference numerals 38' and 38 have been changed to 38 and 38' to indicate the proper orientation of the vertically elongated members. Reference numeral 24' has been changed to 24 to indicate the translucent self-supporting panel. In Fig. 4, reference numeral 38''' has been added. In Fig. 10, reference numerals 31, 26'' and 156 have been deleted since they are not referred to in the specification. In Fig. 11, a lead line was added to reference numeral 208.

All of the above amendments are supported by the original specification including the other figures of the drawings, and therefore do not add new matter.

Subsequent to the receipt of a Notice of Allowance, this application was carefully reviewed prior to payment of the issue fee. The errors noted during this review have been corrected by this Amendment. It is respectfully submitted that the foregoing amendments do not affect the merits of the application and are proper subject matter for an Amendment Under Rule 312.

Entry of this Amendment is respectfully requested.

Respectfully submitted,



Eric H. Weimers
Reg. No. 33,048
Tel.: (312) 214-7770
Attorney for Applicant

Date: 10/25/2007

RYNDAK & SURI LLP
200 W. Madison Street, Suite 2100
Chicago, IL 60606
(312) 214-7770


Appl. No. 10/801,724
Amdt. dated 10/25/2007
Reply to Office action of 07/25/2007

Appendix

Attachments: Replacement Sheets (3 sheets)
 Annotated Sheets Showing Changes (3 sheets)



FIG. 3




Added reference numerals 54, 62, 64

Deleted prime from 24'

Changed
 38 to 38'
 38' to 38''
 51' to 53'
 53' to 51'

FIG. 4



Added reference numeral 38'''

4/6

FIG. 8




FIG. 9





FIG. 10



Deleted
reference
numerals
31, 26"
and 15b

FIG. 11

Added
lead line
to 208 5/6




FIG. 12

